

# ATTESTATION OF CONFORMITY

Issued to: Maitian Energy Co.,Ltd.  
Room A203, Building C, No. 205,  
Binghai Six Road, New Airport Industry Area,  
Longwan District, Wenzhou City, Zhejiang Province,  
P.R. China

For the product: Grid-connected PV inverter



Trade name: **FoxESS**

Type/Model: S700, S1000, S1500, S2000, S2500, S3000, S3300

Ratings: See Annex

Manufactured by: Maitian Energy Co.,Ltd.  
Room A203, Building C, No. 205,  
Binghai Six Road, New Airport Industry Area,  
Longwan District, Wenzhou City, Zhejiang Province,  
P.R. China

Requirements: EN 50549-1:2019 (Requirements for type A Generating Units)

This Attestation is granted on account of an examination by DEKRA, the results of which are laid down in a confidential file no. 6082063.50

The examination has been carried out on one single specimen or several specimens of the product, submitted by the manufacturer. The Attestation does not include an assessment of the manufacturer's production. Conformity of his production with the specimen tested by DEKRA is not the responsibility of DEKRA.

Arnhem, 6 August 2020

Number: 6082063.01AOC

DEKRA Testing and Certification (Shanghai) Ltd.

Kreny Lin  
Certification Manager

© Integral publication of this attestation and adjoining reports is allowed

Page 1 of 2

DEKRA Testing and Certification (Shanghai) Ltd.

3F #250 Jiangchangsan Road Building 16 Headquarter Economy Park Shibe Hi-Tech Park, Jing'an District, Shanghai 200436 China  
T +86 21 6056 7600 F +86 21 6056 7555 www.dekra-certification.com

Ratings of the test product:

Operating temperature range: - 20°C to + 60°C

Protective class: I

Ingress protection rating: IP65

Power factor range (adjustable): 0.8 leading...0.8 lagging

S700:

PV input: Max. 500 Vdc, MPPT voltage range: 150-500 Vdc, max 12.5 A, Isc PV: 15 A.

Output: 230Vac, 50/60 Hz, rated active power 700 W, max apparent power 800 VA, max 3.5 A.

S1000:

PV input: Max. 500 Vdc, MPPT voltage range: 150-500 Vdc, max 12.5 A, Isc PV: 15 A.

Output: 230Vac, 50/60 Hz, rated active power 1000 W, max apparent power 1100 VA. max 4.8 A,

S1500:

PV input: Max. 500 Vdc, MPPT voltage range: 150-500 Vdc, max 12.5 A, Isc PV: 15 A.

Output: 230Vac, 50/60 Hz, rated active power 1500 W, max apparent power 1650 VA. max 7.2 A,

S2000:

PV input: Max. 500 Vdc, MPPT voltage range: 150-500 Vdc, max 12.5 A, Isc PV: 15 A.

Output: 230Vac, 50/60 Hz, rated active power 2000 W, max apparent power 2200 VA. max 9.6 A,

S2500:

PV input: Max. 550 Vdc, MPPT voltage range: 150-550 Vdc, max 12.5 A, Isc PV: 15 A.

Output: 230Vac, 50/60 Hz, rated active power 2500 W, max apparent power 2750 VA. max 12.0 A

S3000:

PV input: Max. 550 Vdc, MPPT voltage range: 150-550 Vdc, max 12.5 A, Isc PV: 15 A.

Output: 230Vac, 50/60 Hz, rated active power 3000 W, max apparent power 3300 VA. max 14.3 A

S3300:

PV input: Max. 550 Vdc, MPPT voltage range: 150-550 Vdc, max 12.5 A, Isc PV: 15 A.

Output: 230Vac, 50/60 Hz, rated active power 3300 W, max apparent power 3300 VA max 14.3 A,